

Your Essential Fillers Guide Wrinkle Treatments

Botox

Botulinium type –A toxin is injected in minute quantities to soften dynamic facial lines by blocking muscle contraction. Botox is most commonly used to treat crows feet around the eyes, the central frown lines between the eyebrows, chin creases, neckbands and the worry lines across the forehead. Common side effects are restricted to minor and temporary redness, swelling or bruising at the injection site. The cosmetic effect of Botox usually becomes apparent after 3 to 4 days, reaching its full action by one week. On average, Botox lasts 3 to 4 months but sometimes up to 6 months or longer.

Collagen is one of the original dermal fillers, Collagen remains a popular injectable today. Allergy testing is required four weeks prior to treatment. Generally 97% of people can be treated. Once approved, treatment consists of simple injections to smooth lines, wrinkles and scars and to define the lip border. An immediate result is visible, with results lasting between 1 to 6 months, although in some people one implant may be sufficient for up to 2 years.

Restylane is a non-animal stabilized hyaluronic acid that combines with the body's own HA, Restylane is completely biodegradable and biocompatible. It is commonly used to treat glabellar lines (the central frown lines between the forehead) the nasolabial folds, smokers lines and the lips. Restylane is injected into the skin and is slowly absorbed by the body. Treatments usually last for up to 6 months. No pre testing is required.

Raptcha'u has a doctor visit once a month for the delivery of Botox and the friendly staff can answer any questions you may have. Bookings are essential so please feel free to contact us regarding Botox treatments.